



LEXMARKTM

PRODUCT ENVIRONMENTAL PROFILE



Model: Lexmark X3350 AIO with Pictbridge

PRODUCT DESCRIPTION

Measurements provided are for a non-packaged product.

Weight	4.54 kg		10 lbs (Excluding power supply and printheads)
Width	441 mm		17.36 inches
Depth	319 mm		12.56 inches
Length	172 mm		6.77 inches

With any lift, use proper lifting procedures. For additional information consult the setup guide.



ENVIRONMENTAL CERTIFICATIONS

This product conforms to the following voluntary environmental program criteria:

US EPA ENERGY STAR®



DESIGN FOR ENVIRONMENT

Reduce and Conserve—Lexmark has designed this product with the following additional features to help our users conserve resources:

- Multi-up Printing-saves paper
- Draft mode saves ink
- Power Saver Mode-reduces energy consumption
- Quality printing on recycled paper-saves paper

Recyclability

- Mechanical plastic parts over 100g consist of one or easily separable materials.
- Gluing and welding of different materials has been avoided.

Longevity and upgrading—For a complete list of upgrades available, go to www.lexmark.com

Standard Warranty 1 year

This product can be upgraded, or its useful life extended as follows:

- Manual duplex option saves paper



Model: X3350

OPERATIONAL DATA

Speed (Mono/Color) Up to: 22/15 ppm

Power (W)	Operation	14
	Power Save	5
Acoustic Noise	Operation	47.2 dBA
	Ready	Silent

PRODUCT SAFETY

Material Safety Data Sheets are available for Lexmark Printer supplies at:

<http://www.lexmark.com/US/msds>

Additional safety information about this product is in the User's Reference and at:

www.lexmark.com

BATTERY USAGE

This product does not contain batteries.

PRODUCT RESTRICTED MATERIALS

Lexmark is committed to meeting the requirements of the Restriction of Hazardous Substances Directive (2002/95/EC) and has taken strong steps to meet the Waste of Electrical and Electronic Equipment (2002/96/EC)

In addition to restricting the use of lead, cadmium, mercury (except small amounts allowed for lamps (10 mg)), hexavalent chromium, polybrominated biphenyls, and polybrominated diphenyl ethers per the RoHS Directive, the product also does not contain:

Asbestos
Short chain chlorinated paraffines
Polychlorinated biphenyls
Polychlorinated phenols
Polychlorinated terphenyls
Ozone depleting chemicals
Brominated flame retardants

PACKAGING

Packaging Weight by Type (kg)

Corrugated	0.894
Expanded Polystyrene	0.222

Plastic packaging materials are marked according to DIN 6120, ISO 11469 or ISO 1043.

Plastic packaging is free from chlorine.

END-OF-LIFE MANAGEMENT/RECYCLING

Lexmark offers customers an environmentally responsible choice for disposal of their end-of-life printers—the Lexmark Equipment Collection Program. Through this program, customers may return any end-of-life Lexmark branded products, and Lexmark will recycle the equipment for free.

COMPANY INFORMATION

Lexmark International, Inc. (NYSE: LXX) makes it easier for businesses and consumers to move information between the digital and paper worlds. Since our inception in 1991 as a spin-off of IBM, Lexmark has become a leading developer, manufacturer and supplier of printing and imaging solutions for offices and homes. Lexmark's products include laser printers, inkjet printers, multifunction devices and associated supplies, services and solutions.

Our Corporate Social Responsibility (CSR) activities are fundamentally guided by the Lexmark vision and values – the cornerstone of the corporate character we have built at Lexmark. Lexmark is committed to acting as a socially responsible company in our global community. This means that we will fully comply with the laws, rules and regulations of the countries in which we operate. It also means that we will go further by continually evaluating our business practices using the principle of sustainability.



For more information visit: www.lexmark.com